

Prysmian
Group

Telecom Product Line

Loose Tube, Ribbon, Drop and Specialty Fiber Cables




 **PRYSMIAN**

 **Draka**

Loose Tube Cables




	Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count
1	LT 2.0™	All-Dielectric	E2G1JKT	E2D1JKT	4-456f
		SA/SJ	E2G1A1J	E2D1A1J	4-456f
		SA/DJ	E2G1A2J	E2D1A2J	4-456f
		DA/DJ	E2G2A2J	E2D2A2J	4-288f
		DA/TJ	E2G2A3J	E2D2A3J	4-288f
		Dual Jacket NA	E2GNA2J	E2DNA2J	4-288f
2	ExpressLT™	All-Dielectric	ETH1JKT	EDH1JKT	4-432f
		SA/SJ	ETH1A1J	EDH1A1J	4-432f
		SA/DJ	ETH1A2J	EDH1A2J	4-432f
		DA/DJ	ETH2A2J	EDH2A2J	4-288f
		DA/TJ	ETH2A3J	EDH2A3J	4-288f
		Dual Jacket NA	ETHNA2J	EDHNA2J	4-288f
3	CentraLink CD™	SA/SJ	CLG1A1J	D6H1A1J	2-12f
SA/SJ	UMH1A1J	--	2-24f		




Ribbon Cables

	Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count		
1	FusionLink™ RICT (Gel)	All-Dielectric	RCG1JKT	--	12-864f		
		SA/SJ	RCG1A1J	--	12-864f		
	Dry FusionLink™ RICT (Coupled)	All-Dielectric	--	RCD1JKT	60-432f		
		SA/SJ	--	RCD1A1J	60-432f		
Dry FusionLink™ RICT (Uncoupled)	All-Dielectric	--	RCU1JKT	12-48f			
	SA/SJ	--	RCU1A1J	12-48f			
2	MassLink™ (RILT)	All-Dielectric	--	RLG1JKT	288-1728f		
		SA/SJ	--	RLG1A1J	288-1728f		
		SA/DJ	--	RLG1A2J	288-864f		
	Product Family	Sheath Design	Family P/N	Tube	Indoor or Indoor/Outdoor	Flame Rating	Fiber Count
3	COLink™ Ribbon Central Tube	Single Jacket	RRC DK	Dry	Indoor	Riser	12-432f
		Interlock Armor	RRC DKAJ	Dry	Indoor	Riser	12-432f
		Single Jacket	RPC DK	Dry	Indoor	Plenum	12-144f
4	FusionLink™ I/O Ribbon Central Tube	Single Jacket	RRI OCK	Dry	Indoor/Outdoor	Riser	12-48 & 288-432f
		Interlock Armor	RRI OCKAJ	Dry	Indoor/Outdoor	Riser	12-48 & 288-432f
		Single Jacket	RRCTK	Gel	Indoor/Outdoor	Riser	12-216 & 576-864f
		Interlock Armor	RRCTKAJ	Gel	Indoor/Outdoor	Riser	12-216 & 576-864f
5	COLink™ Ribbon Stranded Tube	Single Jacket	RRLDK	Dry	Indoor	Riser	144-576f
		Interlock Armor	RRLDKAJ	Dry	Indoor	Riser	144-576f
6	MassLink™ I/O Ribbon Stranded Tube	Single Jacket	RRLTK	Gel	Indoor/Outdoor	Riser	216-432f
		Interlock Armor	RRLTKAJ	Gel	Indoor/Outdoor	Riser	216-432f
		Single Jacket	RZLTK	Gel	Indoor/Outdoor	LSZH	216-432f

Drop Cables




	Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count
1	ResiLink™ Flat Drop	A Dielectric	DFD1JKT	--	1-12f
		B Toneable	DFDNATJ	--	1-12f
2	ResiLink™ Universal Service Drop	Dielectric	D3D1JKT	--	1f
		Toneable	D3DNATJ	--	1f
3	Central LT 300	SA/SJ, with Ripcords	C3R1A1J	D3R1A1J	1-12f
		SA/SJ, w/o Ripcords	C3H1A1J	D3H1A1J	1-12f
4	ResiLink™ Mini-Figure 8	Non-Armored	DM81JKT	--	1-12f



	Product Family	Sheath Design	Family P/N GEL TUBES	Family P/N DRY	Fiber Count
1	ezMicroDuct™	≥ 8 mm ID duct	MD11JKT	--	6-60f
		≥ 10 mm ID duct	MD31JKT	--	6-72f
		≥ 10 mm ID duct	MDS1JKT	--	6-72f
		≥ 10 mm ID duct	MDM1JKT-24	--	96-144f
		≥ 11.8 mm ID duct	MDS1JKT	--	84-96f
		≥ 11.8 mm ID duct	MDM1JKT-12	--	96-144f
		≥ 13 mm ID duct	MDL1JKT	--	6-96f
		≥ 13 mm ID duct	MDM1JKT-12	--	288f
2	AeroLink™ Figure 8	All-Dielectric	F8A1JKT	F8D1JKT	12-216f
		SA/SJ	F8A1A1J	F8D1A1J	12-216f
3	ADSS EZSPAN™ Span	Single Jacket	ADES	--	6-144F
		Dual Jacket	ADED	--	6-144F
4	ADSS Long Span	Single Jacket	ADLS	--	6-432F
		Dual Jacket	ADLD	--	6-432F
		Track Resistant Jacket	ADLT	--	6-432F

Application Specific

Indoor / Outdoor Cables




Product Family	Sheath Design	Family P/N	Flame Rating	Fiber Count
1 Indoor/Outdoor ezDistribution™	Single Jacket, Non-Unitized	C1181-00	Riser	2 to 24
	Interlock Armor	C1181AJ-00	Conductive Riser	2 to 24
	Single Jacket, Unitized	C1181-12	Riser	24 to 144
	Interlock Armor	C1181AJ-12	Conductive Riser	24 to 144
	LSZH Single Jacket, Non-Unitized	700-00	Riser - LS	2 to 24
	LSZH Interlock Armor	700AJ-00	Riser - LS	2 to 24
	Single Jacket, non-unitized	C1182-00	Plenum	2 to 24
	Interlock Armor	C1182AJ-00	Conductive Plenum	2 to 24
2 Indoor/Outdoor CampusLink™ Stranded Loose Tube Gel-Filled Tubes	Single Jacket	DRLTB-12	Riser	2 to 144
	Double Jacket	DRLTC-12	Riser	2 to 144
	Double Jacket with Corrugated Steel Armor	DRLTD-12	Conductive Riser	2 to 144
	Interlock Armor	DRLTBAJ-12	Conductive Riser	2 to 144
	Indoor/Outdoor CampusLink™ Stranded Loose Tube Gel-Free Tubes	Single Jacket	DRLDB-12	Riser
Double Jacket		DRLDC-12	Riser	2 to 144
Double Jacket with Corrugated Steel Armor		DRLDD-12	Conductive Riser	2 to 144
Interlock Armor		DRLDBAJ-12	Conductive Riser	2 to 288
Single Jacket		DPLDB-12	Plenum	2 to 144
Interlock Armor		DPLDBAJ-12	Conductive Plenum	2 to 144
3 Indoor/Outdoor CampusLink™ Central Loose Tube Gel-Free Tube	Single Jacket	DRLDB-00	Riser	2 to 12
	Interlock Armor	DRLDBAJ-00	Conductive Riser	2 to 12
	LSZH - Single Jacket	DDLSZHB-00	Riser	2 to 12
	LSZH - Interlock Armor	DDLSZHBAJ-00	Conductive Riser	2 to 12
	Single Jacket	DPLDB-00	Plenum	2 to 12
	Interlock Armor	DPLDBAJ-00	Conductive Plenum	2 to 12

MFC Cables



Product Family	Sheath Design	Family P/N	Unit Size	Units	Flame Rating	Fiber Count
1 Micro Fiber Cable	Single Jacket	MFC	3 mm	Single Unit	Plenum	8-12f
	Single Jacket	MFC	3.8 mm	Single Unit	Plenum	13-24f
	Single Jacket	MFC30	3 mm	Single Unit	Plenum	13-24f
	Single Jacket	MFC	3 mm	12f - Multi	Plenum	12-72f
	Interlock Armor	MFC AJ	3 mm	12f - Multi	Plenum	12-72f
	Single Jacket	MFC14	1.4 mm	12f - Multi	Plenum	12-48f
	Single Jacket Zipcord	MFCZ	3 mm	2 x 12f	Plenum	24f
	Single Jacket	MFCL	3 mm	Single Unit	LSZH Riser	8-12f
	Single Jacket	MFCL	3.8 mm	Single Unit	LSZH Riser	13-24f
	Single Jacket	MFCL14	1.4 mm	12f - Multi	LSZH Riser	12-48f



Product Family	Sheath Design	Family P/N	Flame Rating	Fiber Count
ezInterconnect™	A Simplex	516/520/529	Riser	1
		816/820/829	Plenum	1
		LSZH16/LSZH20/LSZH29	Riser - Low Smoke	1
	Zipcord	516Z/520Z/529Z	Riser	2
		816Z/820Z/829Z	Plenum	2
		LSZH16Z/LSZH20Z/LSZH29Z	Riser - Low Smoke	2
	B Duplex	529R	Riser	2
		829R	Plenum	2
		LSZH29R	Riser - Low Smoke	2
	Quadplex	548R	Riser	4
848R		Plenum	4	

Indoor Cables



Product Family	Sheath Design	Family P/N	Flame Rating	Fiber Count
Indoor ezDistribution™	Single Jacket, Non-Unitized	400-00	Riser	2 to 24
	Interlock Armor	400AJ-00	Conductive Riser	2 to 24
	Single Jacket, Unitized	400-12	Riser	24 to 144
	Interlock Armor	400AJ-12	Conductive Riser	24 to 144
	LSZH Single Jacket, Non-Unitized	600-00	Riser - Low Smoke	2 to 24
	LSZH Interlock Armor	600AJ-00	Conductive Riser	2 to 24
	LSZH Single Jacket, Unitized	600-12	Riser - Low Smoke	24 to 144
	LSZH Interlock Armor	600AJ-12	Conductive Riser	24 to 144
	Single Jacket, Non-Unitized	800-00	Plenum	2 to 24
	Interlock Armor	800AJ-00	Conductive Plenum	2 to 24
	Single Jacket, Unitized	800-12	Plenum	24 to 144
	Interlock Armor	800AJ-12	Conductive Plenum	24 to 144

Indoor Cables

Specialty Cables



	Product Family	Sheath Design	Family P/N	Tube	Indoor/Outdoor	Flame Rating	Fiber Count
1	Airguard™ XP Oil & Gas Chemical Resistant	Double Jacket All-Dielectric	XPRLTM	Gel-Filled	yes	OFNG-LS/FT4 ST1	2 to 288
		Single Jacket	XPRLTMB	Gel-Filled	yes	OFN	2 to 216
		Double Jacket Single Armor	XPRLTMD	Gel-Filled	yes	OFC	2 to 216
2	Industrial LSZH	Double Jacket All-Dielectric	IRZHF	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
		Single Jacket	IRZHB	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
		Double Jacket Single Armor	IRZHD	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
		Double Jacket Interlock Armor	IRZHBAJ	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
3	Mining	Double Jacket All-Dielectric	RLTM	Gel-Filled	yes	OFNR/FT4	2-144
4	Transit	Single Jacket	DDLSZHB	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
		Double Jacket All-Dielectric	DDLSZHC	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
		Single Jacket Single Armor	DDLSZHE	Gel Free	yes	OFCG-LS/FT4	1 to 288
		Double Jacket Interlock Armor	DDLSZHBAJ	Gel Free	yes	OFNR-LS/FT4 ST1	1 to 288
5	Pipeline Sensing	Custom	EDS	Gel Free	OSP Only	NA	Custom
		Custom	ETS	Gel-Filled	OSP Only	NA	Custom
6	FAA/Airport	Double Jacket	FAACF	Gel-Filled	OSP Only	NA	2 to 60

A large blue horizontal bar at the top of the page, followed by a series of horizontal lines for writing notes.

NOTES

For more information, visit:

website: na.prysmiangroup.com/telecom

+1-800-669-0808

+1-800-879-9862

Linking communications to communities

Prysmian
Group

