

ventev[®]

Wi-Fi Product Catalog Cisco Access Points

Cisco AP Series 2800/3800, 2700/3700,
2600/3600, 1562e, 1567e, IWS3702



antennas, enclosures,
mounts, power solutions,
cable and cable accessories

Proudly Distributed by:



1-855-826-3781 | quotes@gapwireless.com | gapwireless.com



Indoor Carpeted

indoor antennas*

	HBW	VBW	Mount	Manufacturer#
<i>2800e - 3800e</i>				
Omni 4/6 dBi	360	60/70	Ceiling	M6060060MP1D43602
Mini Omni 2/2.5 dBi	360	90/160	Wall/Mast	M60202501D43602RA
Junction Box	75+-15	75+-15	Wall/Ceiling	M6050060D37202WST
<i>2700e - 3700e</i>				
Micro Patch 6 dBi	80+/-10	90+/-10	Ceiling/Pole	M6060060D3D3602TM
Omni 4/6 dBi	360	60/70	Ceiling	M6060060MP1D43602
Mini Omni 2/2.5 dBi	360	90/160	Ceiling	M60202501D43602RA
Junction Box	75+-15	75+-15	Wall/Ceiling	M6050060D37202WST
<i>2600e - 3600e</i>				
Omni 6 dBi	360	45/20	Wall/Mast	GFN GB35380-2
Mini Omni 2/2.5 dBi	360	90/160	Ceiling	M60202501D43602RA
Omni 4/6 dBi	360	60/70	Ceiling	M6060060MP1D43602



high density antennas*

	HBW	VBW	Manufacturer #
<i>2800e - 3800e</i>			
HD Patch 6dBi	80 - 45	80 - 45	M6060060MP1D43602
HD Patch 6dBi	105/125	60/70	M6060060P1D43602V
<i>3802p</i>			
Dual MIMO Patch HD 14 dBi	35	35	M6140140MP1D0006
HD/Panel 10/11 dBi	82/32	41/20	M6100110MP1D0006
<i>2700e - 3700e</i>			
HD Patch 6dBi	80 - 45	80 - 45	M6060060MP1D43602
<i>2600e - 3600e</i>			
HD Patch 6dBi	80 - 45	80 - 45	M6060060MP1D43602
HD Patch 6dBi	105/125	60/70	WM6060060P1D43602V
HD Patch 4 dBi	60/45	50/35	M6040040P23602



cable, connectors and jumpers

Cables, Connectors & Jumpers	Manufacturer #
<i>2802e - 3802e, 2702e - 3702e, 2602e - 3602e</i>	
RPTNC Bulkhead Jack for 400 Series	CON-03-400
18" 100 Series RA RPTNC Plug to RPTNC Jack	100-02RA-03-P18L
3' 195 Series RPTNC Plug to RPTNC Jack	195-01-02-P3'
5' 400 Series RPTNC Plug to RPTNC Jack	400-01-02-P5'
10' 400 Series RPTNC Plug to RPTNC Jack	400-01-02-P10'
25' 600 Series RPTNC Plug to RPTNC Jack	600-01-02-P25'



Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com



enclosures

		Manufacturer#
2802i - 3802i		
Plastic Ceiling Tile Enclosure		TW-CTEN-P
Ceiling Tile Enclosure		TW-CTEN-2X2-3802U
Beveled Ceiling Tile Enclosure		TW-CTEN-2X2-3802B
CTEN w Interchangeable Door		V2-ID-CTEN-3802
CTEN w Interchangeable Door, White AP Cover		V2-ID-CTEN-12124W
CTEN w Interchangeable Door, Clear AP Cover		V2-ID-CTEN-12124C
2702i - 3702i		
Plastic Ceiling Tile Enclosure		TW-CTEN-P
Universal Ceiling Tile Enclosure		TW-CTEN-2X2-1142U
Beveled Ceiling Tile Enclosure		TW-CTEN-2X2-1142B
Ceiling Tile Enclosure w White AP Cover		CTEN-2X2-11113F-W
Ceiling Tile Enclosure w Clear AP Cover		CTEN-2X2-11113F-C
CTEN w Interchangeable Door		V2-ID-CTEN-3702
CTEN w Interchangeable Door /Halo Module		CTEN-2X2-ID-HALO
2602i - 3602i		
CTEN w Interchangeable Door /Halo Module		CTEN-2X2-ID-HALO
CTEN w Interchangeable Door		CTEN-2X2-ID-CISCO
Beveled Ceiling Tile Enclosure, White AP Cover		CTEN-2X2-11113B-W
Universal Ceiling Tile Enclosure		TW-CTEN-2X2-1142U

Hard Cap Enclosures	Manufacturer#
2802i - 3802i	
Hard Cap Enclosure	TW-HCEN-3802
2602i - 3602i	
Hard Cap Enclosure	TW-HC-1142A

Access Point Covers	Manufacturer#
2802i - 3802i	
Clear AP Cover	V12124-C
White AP Cover	V12124-W
AP Cap - Black, Paintable	V2-2800/3800-CVR

Accessories	Manufacturer#
2802i - 3802i, 2802e - 3802e, 3802p, 2702i - 3702i, 2702e - 3702e, 2602e - 3602e	
Site Survey Kit	SSK-008-TW-MIMO
Lightning Arrestor RPTNC Plug to RPTNC BH Jack	TW-LP-RPTNC-P-BHJ
802.3af Surge Suppressor	TW-SP-1GBPS-10-1F
802.3at Surge Suppressor	TW-SP-1GBPS-10-1T
2602i - 3602i	
802.3af Surge Suppressor	TW-SP-1GBPS-10-1F
802.3at Surge Suppressor	TW-SP-1GBPS-10-1T
1562e, 1567e, IWS3702	
Lightning Arrestor N-Style Jack to N-Style BH Jack	TW-LP-N-J-BHJ
Lightning Arrestor N-Style Plug to N-Style BH Jack	TW-LP-N-P-BHJ
802.3af Surge Suppressor	TW-SP-1GBPS-10-1F
802.3at Surge Suppressor	TW-SP-1GBPS-10-1T

mounts

		Manufacturer #
2802i - 3802i, 2802e - 3802e, 2702i - 3702i, 2702e - 3702e		
I-Beam Industrial Mount		TW-IBEAM-MNT-ENCL
I-Beam Low Profile Mount		TW-IBEAM-MNT-AP
2802i - 3802i, 2702i - 3702i		
Hanging Conduit AP Mount		TW-HC-MNT
2802i - 3802i, 2802e - 3802e, 2702i - 3702i, 2702e - 3702e		
Single-Axis Co-Locating Mount for High Density Areas		TW-COLOMOUNT-1
2802e - 3802e		
Dual-Axis Co-Locating Mount for High Density Areas		TW-COLOMOUNT-2
2602i - 3602i, 2602e - 3602e		
Co-Locating Mount		TW-HD-MOUNT502
		Manufacturer #
2802i - 3802i, 2802e - 3802e, 2702i - 3702i, 2702e - 3702e		
I-Beam Spring Mount for Antenna		TW-IBEAM-MOUNT
2802i - 3802i, 2802e - 3802e, 2702i - 3702i, 2702e - 3702e		
Industrial Articulating Antenna Mount		TW-IART-MOUNTT
High Strength Universal Articulating Antenna Mount		TW-ART-MOUNT-IS
Universal Articulating Antenna Mount		TW-ART-MOUNTT
Antenna Adapter Plates		Manufacturer#
Adapter Plate for ANT2566D4M		TW-CISCO2566D4M-W
Adapter Plate for ANT2566P4W-R White?		TW-CISCO-A2566-W
Adapter Plate for ANT2566P4W-R Black?		TW-CISCO-A2566
Horizontal Wall Mount		Manufacturer#
2802i - 3802i, 2702i - 3702i, 2602i - 3602i		
Horizontal Wall Mount w AP Cover- Clear Cover		V-HWM-11113H-C
Horizontal Wall Mount w AP Cover- White Cover		V-HWM-11113H-W
Right Angle Wall Bracket		Manufacturers#
2802i - 3802i, 2702i - 2802i, 2602i - 3602i		
Right Angle Wall Bracket w Lid		TW-HWM-C-CVR
Right Angle Wall Mount w White AP Cover		V-HWM-12124-W
Right Angle Wall Mount w Clear AP Cover		V-HWM-12124-C
Right Angle Wall Bracket w Lid		TW-HWM-C-CVR



* Federal guidelines authorize use of third party antennas: "Any antenna that is of the same type and of equal or less directional gain as an antenna that is authorized with the intentional radiator may be marketed with, and used with, that intentional radiator."

Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com





Outdoor Wi-Fi

outdoor antennas*

Outdoor Antennas	HBW	VBW	Mount	Manufacturer#
<i>2800e - 3800e</i>				
Omni 6 dBi	360	45/20	Wall/Mast	M6060060M01D43602
Mini Omni 6 dBi	360	50/30	Wall/Mast	M6060060M1D43602M
Micro Patch 6 dBi	80+/-10	90+/-10	Ceiling/Pole	M6060060D3D3602TM
5 GHz Patch 6 dBi	55	60	Wall/Mast	5060060D336RA02
HD Patch 4 dBi	60/45	50/35	Wall/Mast	M6040040P23602
<i>2700e - 3700e</i>				
Omni 6 dBi	360	45/20	Wall/Mast	M6060060M01D43602
HD Patch 6 dBi	80 - 45	80 - 45	Wall/Mast	M6060060MP1D43602
HD Patch 4/6 dBi	105/125	60/70	Wall/Mast	M6060060P1D43602V
Mini Omni 6 dBi	360	50/30	Wall/Mast	M6060060M1D43602M
HD Patch 4 dBi	60/45	50/35	Wall/Mast	M6040040P23602
<i>2600e - 3600e</i>				
Omni 6 dBi	360	45/20	Wall/Mast	M6060060M01D43602
HD Patch 6 dBi	80 - 45	80 - 45	Wall/Mast	M6060060MP1D43602
Omni 4/6 dBi	360	60/70	Ceiling	M6040060O2D1802R
HD Patch 4/6 dBi	105/125	60/70	Wall/Mast	M6060060P1D43602V
HD Patch 4 dBi	60/45	50/35	Wall/Mast	M6040040P23602
HD Patch 6 dBi	55/35	55/35	Wall/Mast	M6060060P23602NB
<i>1562e, 1567e, IWS3702</i>				
Fiberglass Omni 4/7 dBi	360	38/18	Mast / Pole	M7040070O10007
Omni 6 dBi	360	40	Wall/Mast	M6060060O23607O
Omni 6 dBi	360	40	Wall/Mast	M6060060M01D43607
Omni 6 dBi	360	50/30	Wall/Mast	M6060060M1D43607M
HD Patch	82/32	41/20	Wall/Mast	M6100110MP1D0006
HD Patch	35	35	Wall/Mast	M6140140MP1D0006
Micro Patch	80+/-10	90+/-10	Ceiling/Pole	M6060060D3D3607T



outdoor lighting antennas*

Outdoor Lighting Antennas	HBW	VBW	Manufacturer#
<i>2800e - 3800e, 2700e - 3700e</i>			
Omni Light Pole 6 dBi	360	50/30	M606060M1D418002L
Omni Light Globe Antenna	360	50 / 30	M6060060O1D41202I
Omni for High Intensity Discharge (HID) Light Globes	360	65 / 20	M6060060O1D41202L



* Federal guidelines authorize use of third party antennas: "Any antenna that is of the same type and of equal or less directional gain as an antenna that is authorized with the intentional radiator may be marketed with, and used with, that intentional radiator."

Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com



nema enclosures

NEMA Enclosures	Manufacturer#
<i>2802i - 3802i, 2702i - 3702i</i>	
12x10x5 Polycarb Solid Door, Latch Locks, Cord Grip Hole	V12105LO-CG
12x10x5 Polycarb Clear Door, Latch Locks, Cord Grip Hole	V12105LC-CG
12x10x6 Polycarb Solid Door, Latch Locks, No Holes	CV12106LO-NH
12x10x4 Polycarb Solid Door, Latch Locks, No Holes	
<i>2802i - 3802i, 2702i - 3702i Heated / Cooled</i>	
14x12x6 Heated, Solid Door, Latch Locks, No Holes	V14126LO-NHH
14x12x6 H/C, Solid Door, Latch Locks, No Holes	V14126LO-NHHC
<i>2802e - 3802e, 2702e - 3702e</i>	
12x10x5 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	V12105LO-4.5
12x10x5 Polycarb Clear Door, Latch Locks, 4 RPTNC Holes	V12105LC-4.5
12x10x6 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	CV12106LO-4.5
12x10x6 Polycarb Clear Door, Latch Locks	CV12106LC-4.5
12x10x4 Polycarb Clear Door, Latch Locks, 4 RPTNC Holes	
<i>3802p</i>	
12x10x5 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	V12105LO-4.5
12x10x5 Polycarb Clear Door, Latch Locks, 4 RPTNC Holes	V12105LC-4.5
12x10x6 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	CV12106LO-4.5
12x10x6 Polycarb Clear Door, Latch Locks	CV12106LC-4.5
12x10x4 Polycarb Clear Door, Latch Locks, 4 RPTNC Holes	
<i>2802e - 3802e Integrated</i>	
12x10x5 Polycarb Solid Door, Latch Locks, Integrated Omni	V12105LO-0D04T
12x10x5 Polycarb Clear Door, Latch Locks, Integrated Omni	V12105LC-0D04T
12x10x6 Polycarb Solid Door, Latch Locks, Integrated Omni	CV12106LO-0D04T
12x10x6 Polycarb Solid Door, Key Lock, Integrated Omni	CV12106LC-0D04T
<i>3802p Intergrated</i>	
<i>2802e - 3802e Heated / Cooled</i>	
14x12x6 H/C, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5HC
14x12x6 H/C, Clear Door, Latch Locks, 4 RPTNC Holes	V14126LC-4.5H
14x12x6 Heated, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5H
<i>3802p Heated / Cooled</i>	
14x12x6 H/C, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5HC
14x12x6 H/C, Clear Door, Latch Locks, 4 RPTNC Holes	V14126LC-4.5H
14x12x6 Heated, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5H
<i>2702e - 3702e Integrated</i>	
12x10x6 Polycarb Solid Door, Latch Locks, Integrated Omni	CV12106LO-0D04T
12x10x6 Polycarb Solid Door, Key Lock, Integrated Omni	CV12106LC-0D04T
<i>2702e - 3702e Heated / Cooled</i>	
12x10x6 H/C PoE, Solid Door, Latch Locks	VNV-OUT3702-AC
12x10x6 Heated PoE, Clear Door, Latch Locks	VNV-CB3702-AC
12x10x6 H/C PoE, Solid Door, Latch Locks, Integrated Omni	VNV-ANT3702-AC
12x10x6 H/C PoE, Clear Door, Latch Locks, Integrated Omni	VNV-CBA3702-AC
14x12x6 H/C, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5HC
14x12x6 H/C, Clear Door, Latch Locks, 4 RPTNC Holes	V14126LC-4.5H

NEMA Enclosures	Manufacturer#
<i>2602i - 3602i</i>	
12x10x6 Solid Door, Latch Locks, No Holes	CV12106LO-NH
14x12x6 Solid Door, Key Lock, No Holes	CV14126KO-NH
<i>2602i - 3602i Heated / Cooled</i>	
14x12x6 Heated, Solid Door, Latch Locks, No Holes	V14126LO-NHH
14x12x6 H/C, Solid Door, Latch Locks, No Holes	V14126LO-NHHC



power solutions

Power Solutions	Manufacturer#
Outdoor AC/DC Power System	VPE1260000000
Outdoor AC/DC Power System with UPS Battery	VPE1260000700
Outdoor UPS for Wi-Fi Access Points/Single	VPE12600P0700
Outdoor UPS for Wi-Fi Access Points/Double	VPE12602P1700
Multi-Port Power Extender for Light Poles with Intermittent Power	PWR-XTDR-HI
PoE+ Solar Powered System for Outdoor Wi-Fi Access Points	VS04-WIFI-POE-01
Temporary Wi-Fi Deployment Kit - Non powered	RDK-NONPOWERV1
Temporary Wi-Fi Deployment Kit with powered enclosure for Cisco 1572e	RDK-CISCO-1572



cable, connectors and jumpers

Cables, Connectors & Jumpers	Manufacturer#
<i>2802e - 3802e, 2702e - 3702e, 2602e - 3602e</i>	
RPTNC Bulkhead Jack for 400 Series	CON-03-400
18" 100 Series RA RPTNC Plug to RPTNC Jack	100-02RA-03-P18L
3' 195 Series RPTNC Plug to RPTNC Jack	195-01-02-P3'
5' 400 Series RPTNC Plug to RPTNC Jack	400-01-02-P5'
10' 400 Series RPTNC Plug to RPTNC Jack	400-01-02-P10'
25' 600 Series RPTNC Plug to RPTNC Jack	600-01-02-P25'
<i>1562e, 1567e, IWS3702</i>	
N-Style Jack Connector for 400 Series	CON-06-400
18" 100 N-Style Plug to N-Style BH Jack	100-07-08-P18"
3' 195 N-Style Jack to N-Style Plug	195-06-07-P3'
10' 400 N-Style Jack to N-Style Plug	400-06-07-P10'
25' 600 N-Style Jack to N-Style Plug	600-06-07-P25'



Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com





Industrial / Warehouse

i-beam and ceiling mounts

I-Beam and Ceiling Mounts	Manufacturer #
2802i - 3802i	
I-Beam Industrial Mount	TW-IBEAM-MNT-ENCL
I-Beam Low Profile Mount	TW-IBEAM-MNT-AP
Hanging Conduit AP Mount	TW-HC-MNT
2802e - 3802e	
I-Beam Industrial Mount	TW-IBEAM-MNT-ENCL
I-Beam Low Profile Mount	TW-IBEAM-MNT-AP
I-Beam Spring Mount	TW-IBEAM-MOUNT
Industrial Articulating Antenna Mount	TW-IART-MOUNTT
High Strength Universal Articulating Mount	TW-ART-MOUNT-IS
Universal Articulating Mount	TW-ART-MOUNTT
Adapter Plate for ANT2566D4M	TW-CISCO2566D4M-W
Adapter Plate for ANT2566P4W-R White?	TW-CISCO-A2566-W
Adapter Plate for ANT2566P4W-R Black?	TW-CISCO-A2566
2702i - 3702i	
I-Beam Industrial Mount	TW-IBEAM-MNT-ENCL
I-Beam Low Profile Mount	TW-IBEAM-MNT-AP
Hanging Conduit AP Mount	TW-HC-MNT
2702e - 3702e	
I-Beam Industrial Mount	TW-IBEAM-MNT-ENCL
I-Beam Low Profile Mount	TW-IBEAM-MNT-AP
I-Beam Spring Mount	TW-IBEAM-MOUNT
Industrial Articulating Antenna Mount	TW-IART-MOUNTT
High Strength Universal Articulating Mount	TW-ART-MOUNT-IS
2602i - 3602i	
Co-Locating Mount	TW-HD-MOUNT502
2602e - 3602e	
Co-Locating Mount	TW-HD-MOUNT502



wall mounts

Wall Mounts	Manufacturer #
2802i - 3802i, 2702i - 3702i, 2602i - 3602i	
Horizontal Wall Mount w AP Cover- Clear Cover	V-HWM-11113H-C
Horizontal Wall Mount w AP Cover- White Cover	V-HWM-11113H-W
Right Angle Wall Bracket w Lid	TW-HWM-C-CVR
Right Angle Wall Mount w White AP Cover	V-HWM-12124-W
Right Angle Wall Bracket w Lid	TW-HWM-C-CVR



nema enclosures

NEMA Enclosures	Manufacturer#
2802i - 3802i	
12x10x5 Polycarb Solid Door, Latch Locks, Cord Grip Hole	V12105LO-CG
12x10x5 Polycarb Clear Door, Latch Locks, Cord Grip Hole	V12105LC-CG
12x10x6 Polycarb Solid Door, Latch Locks, No Holes	CV12106LO-NH
2802i - 3802i Heated / Cooled	
14x12x6 Heated, Solid Door, Latch Locks, No Holes	V14126LO-NHH
14x12x6 H/C, Solid Door, Latch Locks, No Holes	V14126LO-NHHC
2802e - 3802e	
12x10x5 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	V12105LO-4.5
12x10x5 Polycarb Clear Door, Latch Locks, 4 RPTNC Holes	V12105LC-4.5
12x10x6 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	CV12106LO-4.5
12x10x6 Polycarb Clear Door, Latch Locks	CV12106LC-4.5
2802e - 3802e Integrated	
12x10x5 Polycarb Solid Door, Latch Locks, Intergrated Omni	V12105LO-0D04T
12x10x5 Polycarb Clear Door, Latch Locks, Integrated Omni	V12105LC-0D04T
12x10x6 Polycarb Solid Door, Latch Locks, Integrated Omni	CV12106LO-0D04T
12x10x6 Polycarb Solid Door, Key Lock, Integrated Omni	CV12106LC-0D04T
2802e - 3802e Heated / Cooled	
14x12x6 H/C, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5HC
14x12x6 H/C, Clear Door, Latch Locks, 4 RPTNC Holes	V14126LC-4.5H
14x12x6 Heated, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5H
2702i - 3702i	
12x10x5 Polycarb Solid Door, Latch Locks, Cord Grip Hole	V12105LO-CG
12x10x5 Polycarb Clear Door, Latch Locks, Cord Grip Hole	V12105LC-CG
12x10x6 Polycarb Solid Door, Latch Locks, No Holes	CV12106LO-NH
2702i - 3702i Heated / Cooled	
14x12x6 Heated, Solid Door, Latch Locks, No Holes	V14126LO-NHH
14x12x6 H/C, Solid Door, Latch Locks, No Holes	V14126LO-NHHC
2702e - 3702e	
12x10x5 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	V12105LO-4.5
12x10x5 Polycarb Clear Door, Latch Locks, 4 RPTNC Holes	V12105LC-4.5
12x10x6 Polycarb Solid Door, Latch Locks, 4 RPTNC Holes	CV12106LO-4.5
2702e - 3702e Integrated	
12x10x6 Polycarb Solid Door, Latch Locks, Integrated Omni	CV12106LO-0D04T
12x10x6 Polycarb Solid Door, Key Lock, Integrated Omni	CV12106LC-0D04T
2702e - 3702e Heated / Cooled	
12x10x6 H/C PoE, Solid Door, Latch Locks	VNV-OUT3702-AC
12x10x6 Heated PoE, Clear Door, Latch Locks	VNV-CB3702-AC
12x10x6 H/C PoE, Solid Door, Latch Locks, Integrated Omni	VNV-ANT3702-AC
12x10x6 H/C PoE, Clear Door, Latch Locks, Integrated Omni	VNV-CBA3702-AC
14x12x6 H/C, Solid Door, Latch Locks, 4 RPTNC Holes	V14126LO-4.5HC
14x12x6 H/C, Clear Door, Latch Locks, 4 RPTNC Holes	V14126LC-4.5H
2602i - 3602i	
12x10x6 Solid Door, Latch Locks, No Holes	CV12106LO-NH
14x12x6 Solid Door, Key Lock, No Holes	CV14126KO-NH
2602i - 3602i Heated / Cooled	
14x12x6 Heated, Solid Door, Latch Locks, No Holes	V14126LO-NHH
14x12x6 H/C, Solid Door, Latch Locks, No Holes	V14126LO-NHHC

indoor antennas*

Indoor Antennas	HBW	VBW	Mount	Manufacturer#
2800 - 3800				
HD Patch 6dBi	80 - 45	80 - 45	Wall / Mast	M6060060MP1D43602
HD Patch 6dBi	105/125	60/70	Wall / Mast	M6060060P1D43602V
Omni 4/6 dBi	360	60/70	Ceiling	M6040060O2D1802R
Mini Omni 2/2.5 dBi	360	90/160	Ceiling	M60202501D43602RA
2700 - 3700				
Micro Patch 6 dBi	80+/-10	90+/-10	Ceiling / Pole	M6060060D3D3602TM
HD Patch 6dBi	80 - 45	80 - 45	Wall / Mast	M6060060MP1D43602
Omni 4/6 dBi	360	60/70	Ceiling	M6040060O2D1802R
Mini Omni 2/2.5 dBi	360	90/160	Ceiling	M60202501D43602RA
2600 - 3600				
Omni 6 dBi	360	45/20	Wall / Mast	M6060060M01D43602
HD Patch 6dBi	80 - 45	80 - 45	Wall / Mast	M6060060MP1D43602
Mini Omni 2/2.5 dBi	360	90/160	Ceiling	M60202501D43602RA
Omni 4/6 dBi	360	60/70	Ceiling	M6040060O2D1802R
HD Patch 6dBi	105/125	60/70	Wall / Mast	M6060060P1D43602V
HD Patch 4 dBi	60/45	50/35	Wall / Mast	M6040040P23602



* Federal guidelines authorize use of third party antennas: "Any antenna that is of the same type and of equal or less directional gain as an antenna that is authorized with the intentional radiator may be marketed with, and used with, that intentional radiator."

access point covers

Access Point Covers	Manufacturer#
2802i - 3802i	
Clear AP Cover	V12124-C
White AP Cover	V12124-W



cable, connectors and jumpers

Cables, Connectors & Jumpers	Manufacturer#
2802e - 3802e, 2702e - 3702e, 2602e - 3602e	
RPTNC Bulkhead Jack for 400 Series	CON-03-400
18" 100 Series RA RPTNC Plug to RPTNC Jack	100-02RA-03-P18L
3' 195 Series RPTNC Plug to RPTNC Jack	195-01-02-P3'
5' 400 Series RPTNC Plug to RPTNC Jack	400-01-02-P5'
10' 400 Series RPTNC Plug to RPTNC Jack	400-01-02-P10'
25' 600 Series RPTNC Plug to RPTNC Jack	600-01-02-P25'

Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com





Large Public Venues

high density antennas*

	Manufacturer#	HBW	VBW
<i>2800e - 3800e</i>			
HD Patch 6dBi	M6060060MP1D43602	80 - 45	80 - 45
HD Patch 6dBi	M6060060P1D43602V	105/125	60/70
<i>3802p, 1562e, 1567e, IWS3702</i>			
Dual MIMO Patch HD 14 dBi	M6140140MP1D0006	35	35
HD/Panel 10/11 dBi	M6100110MP1D0006	82/32	41/20
<i>2700e - 3700e</i>			
HD Patch 6dBi	M6060060MP1D43602	80 - 45	80 - 45
<i>2600e - 3600e</i>			
HD Patch 6dBi	M6060060MP1D43602	80 - 45	80 - 45
HD Patch 6dBi	M6060060P1D43602V	105/125	60/70
HD Patch 4 dBi	M6040040P23602	60/45	50/35
<i>1562e, 1567e, IWS3702</i>			
HD Patch	M6100110MP1D0006	82/32	41/20
HD Patch	M6140140MP1D0006	35	35
Micro Patch	M6060060D3D3607T	80+/-10	90+/-10



handrail antennas*

	Manufacturer#
<i>2802i - 3802i</i>	
6 dBi Left Facing Angled Handrail Antenna	TW-HE-06042-6L
6 dBi Right Facing Angled Handrail Antenna	TW-HE-06042-6R
3 dBi Left Facing Angled Handrail Antenna	TW-HE-06042-PL
3 dBi Right Facing Angled Handrail Antenna	Wrong SKU



* Federal guidelines authorize use of third party antennas: "Any antenna that is of the same type and of equal or less directional gain as an antenna that is authorized with the intentional radiator may be marketed with, and used with, that intentional radiator."



Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com



outdoor antennas*

	HBW	VBW	Mount	Manufacturer#
<i>2800e - 3800e</i>				
Omni 6 dBi	360	45/20	Wall/Mast	M6060060M01D43602
Mini Omni 6 dBi	360	50/30	Wall/Mast	M6060060M1D43602M
Micro Patch 6 dBi	80+/-10	90+/-10	Ceiling/ Pole	M6060060D3D3602TM
5 GHz Patch 6 dBi	55	60	Wall/Mast	5060060D336RA02
HD Patch 4 dBi	60/45	50/35	Wall/Mast	M6040040P23602
Omni Light Pole 6 dBi	360	50/30	Light Pole	M606060M1D418002L
<i>2700e - 3700e</i>				
Omni 6 dBi	360	45/20	Wall/Mast	M6060060M01D43602
HD Patch 6 dBi	80 - 45	80 - 45	Wall/Mast	M6060060MP1D43602
HD Patch 4/6 dBi	105/125	60/70	Wall/Mast	M6060060P1D43602V
Mini Omni 6 dBi	360	50/30	Wall/Mast	M6060060M1D43602M
HD Patch 4 dBi	60/45	50/35	Wall/Mast	M6040040P23602
Omni Light Pole 6 dBi	360	50/30	Light Pole	M606060M1D418002L
<i>2600e - 3600e</i>				
Omni 6 dBi	360	45/20	Wall/Mast	M6060060M01D43602
HD Patch 6 dBi	80 - 45	80 - 45	Wall/Mast	M6060060MP1D43602
Omni 4/6 dBi	360	60/70	Ceiling	M6040060C02D1802R
HD Patch 4/6 dBi	105/125	60/70	Wall/Mast	M6060060P1D43602V
HD Patch 4 dBi	60/45	50/35	Wall/Mast	M6040040P23602
HD Patch 6 dBi	55/35	55/35	Wall/Mast	M6060060P23602NB
<i>1562e, 1567e, IWS3702</i>				
Fiberglass Omni 4/7 dBi	360	38/18	Mast / Pole	M7040070O10007
Omni 6 dBi	360	40	Wall/Mast	M6060060O23607O
Omni 6 dBi	360	40	Wall/Mast	M6060060M01D43607
Omni 6 dBi	360	50/30	Wall/Mast	M6060060M1D43607M



under the seat enclosure

Under the Seat Wi-Fi Solution	Manufacturer#
<i>All Cisco APs</i>	
1 12" x 10" x 4" Wi-Fi Enclosure with Solid Door, Screw Cover (with Torx screws), No Holes, Cisco Back Plate	V12104-TS-O-NH
2/3.5 Bantam Antenna	M6020020R1D0002



handrail enclosures

	Manufacturer #
<i>2802i - 3802i</i>	
Handrail Enclosure, 1.5" rails	TW2AP-C38HRE-S150
Handrail Enclosure, 1.63" rails	TW2AP-C38HRE-S163
Handrail Enclosure, 1.75" rails	TW2AP-C38HRE-S175
Handrail Enclosure, 1.87" rails	TW2AP-C38HRE-S187
Handrail Enclosure, 2" rails	TW2AP-C38HRE-S200
<i>2802i - 3802i</i>	
Handrail Enclosure, 1.5" rails	TW2AP-CISHRE-S150
Handrail Enclosure, 1.63" rails	TW2AP-CISHRE-S163
Handrail Enclosure, 1.75" rails	TW2AP-CISHRE-S175
Handrail Enclosure, 1.87" rails	TW2AP-CISHRE-S187
Handrail Enclosure, 2" rails	TW2AP-CISHRE-S200



power solutions

	Manufacturer#
Outdoor AC/DC Power System	VPE1260000000
Outdoor AC/DC Power System with UPS Battery	VPE1260000700
Outdoor UPS for Wi-Fi Access Points/Single	VPE12600P0700
Outdoor UPS for Wi-Fi Access Points/Double	VPE12602P1700
Multi-Port Power Extender for Light Poles with Intermittent Power	PWR-XTDR-HI
PoE+ Solar Powered System for Outdoor Wi-Fi Access Points	VS04-WIFI-POE-01
Temporary Wi-Fi Deployment Kit - Non powered	RDK-NONPOWERV1
Temporary Wi-Fi Deployment Kit with powered enclosure for Cisco 1572e	RDK-CISCO-1572



Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com





- **Industry-leading product lines, including TerraWave®**, provide a comprehensive ecosystem of wireless products
- **Unrivaled expertise and resources**
- **Products for every major radio/AP covering** Wi-Fi, DAS, LTE, SCADA and Two-Way
- **Easy-to-install solutions**
- **Pre-configured, fully-integrated solutions**
- **Large inventory of products**
- **Professional Training and Educational Materials** such as application notes and case studies



Proudly Distributed by Gap Wireless

CONTACT US: 1-855-826-3781 | quotes@gapwireless.com | gapwireless.com

